BALANCORE HEALTH

INSTRUCTIONS FOR COMPLETING YOUR HEALTH & WELLBEING QUESTIONNAIRE (HPQ) HPQ stands for Health Profile Questionnaire - a place for you to share details on your past and present wellbeing, along with your future health goals. Balancore Health chooses to use this template created by the BCNH as it is deemed one of the best questionnaire templates in the Nutritional Therapy industry.

- In order to complete the digital HPQ <u>you need to download the most</u> recent version of <u>Adobe Reader</u>.
- Adobe Reader is free and works on both PCs and Macs.
- Please do not complete the HPQ on a tablet or an ipad. Completing the digital HPQ in a browser or another PDF program may produce compatibility errors and the data may not be saved.

The HPQ is designed to be completed digitally!

Ticking boxes will automatically tick the same or similar boxes in other sections of the HPQ

Please do not print the digital HPQ and complete it by hand.

Balancore Health Health & Wellbeing Questionnaire

(STRICTLY CONFIDENTIAL)

Nutritional Therapist:	
Clinic:	
Telephone:	Email:
Date of visit:	
How to use this form - helpful reminders:	 Please complete all sections of the forms as accurately as you can, <u>electronically</u> on your computer I/ we may not accept the HPQ if <u>all</u> sections are not completed in full Please note ONE symptom/ condition only in each Condition box and please make sure that you specify the symptom / condition to be addressed clearly (e.g. digestive problems is not a symptom or a condition, whereas bloating is). If HPQ is not completed correctly it will be returned for amendments. If any answers on the HPQ are incorrect, your nutrition programme may be inappropriate and I / we will not take responsibility for any consequences as the result of inaccurate information Please keep a copy of your electronic questionnaire on your computer or print a hard copy, so you can bring it with you to your consultation (you can password protect the electronic version of the document). Please note that some questions on the HPQ are repeated in several sections. Each consecutive section will be automatically √ once you have answered the question for the first time. Please email your completed HPQ with any other relevant documents to your Therapist

STRICTLY CONFIDENTIAL											
		<mark>1</mark>	Please cor	<mark>isider all q</mark>	<mark>luestions c</mark>		l answer as accu	<mark>ιrately as γοι</mark>	<mark>ı can</mark>		
First Name:						Surname	:			Gender:	
Address:											
Postcode:						Country	of Domicile:				
Tel No (home)	:					Tel No (V	/ork):				
Tel No (Mobile	e):					E-Mail / v	veb address:		1		
Date of Birth:				Age:		Height:		Weight:		BMI (office use):	
How many chi	ildren	/ dependents	-			Job / Oco	upation:				
Condition N	lo 1		Please I	list any ki	nown trig	gers	Duration & how	v managed	(e.g. diet, exe	ercise, medica	ation, etc.)
Office											
Use Only:											
<u>Tests:</u>											
Condition N	lo 2		Please I	list any k	nown trig	gers	Duration & how	v managed	(e.g. diet, exe	ercise, medica	ation, etc.)
Office											
Use Only:											
<u>Tests:</u>											
			_								

Condition No 3	Please list any known triggers	Duration & how managed (e.g. diet, exercise, medication, etc.)
0//		
Office Use Only:		
Tests:		
CURRENT MEDICAL HISTORY	I - please note any other health is	sues not mentioned above (e.g. allergies, infections, etc.):-
Office		
Use Only:		
PAST MEDICAL HISTORY - pla mumps, glandular fever, etc.), P	ease provide details of any seriou lease provide dates whenever po	is illnesses & / or operations you have had in the past (e.g. ssible (e.g. January 2005):-
Office Use Only:		

	TIMELINE OF HEALTH CONCERNS: Please provide a timeline for your health concerns (according to your age when they began). Please include any							
key events such as: periods of stress, food poisoning, illness, toxin exposure, etc. Add any triggers you have								
noticed fo	noticed for your conditions and start with the earliest age first (examples in red italics). Additional info (e.g. medications,							
Age	Health concerns	stressful episode, etc.)						
e.g. 3-5	Multiple ear infections	Many antibiotics						
Office Use								
Only:								
	nad any <u>RECENT</u> MEDICAL or <u>FUNCTIONAL TESTS</u> (within last 12 months copies if available.)? Please provide details / results						
Office Use								
Only:								
MEDICATI	ONS - if you take any medications briefly note <u>why</u> , <u>name</u> & <u>dosage, presc</u>	ribed by whom & duration-						
	ente in you take any medications preny note <u>mny</u> , <u>name</u> a <u>uosage</u> , <u>prese</u>							
Office Use								
Only:								

SUPPLEM	ENTS - if you take any supplements please note <u>name, brand & dosage</u> , prescribed by whom & why:-
Office Use	
Only:	
FAMILY H	STORY - please note any illnesses / conditions in your blood relatives (e.g. heart dx, cancer):-
Office Use Only:	
	IERAPIES - if you are seeing any other practitioners (e.g. a homeopath, a herbalist) please state why:-
UTILK II	ILAFILS - It you are seeing any other practitioners (e.g. a nomeopath, a neroalist) please state why
Office Use	
Only:	
Red Flags	s (please highlight any that apply to you):
Pain	Any unexplained pain which is persistent or severe: in the abdomen back chest equal equal head neck
	temple on passing urine any other (please list below):-
Bleeding	□ blood in sputum □ vomit □ urine or stool □ postmenopausal bleeding □ rectal bleeding □ any other (please list
y	below):-

<mark>Unexplai</mark> ned changes	□ appetite □ bowel habit □ passing of urine □ personality/behavior □ body or face shape □ vision □ skin □ moles □ breathing □ swallowing □ any other (please list below):-					
in						
Any other unexplai ned signs or	amenorrhea black tarry stools breast lumps calf swelling crushing chest pain excessive thirst brincreased urination erectile dysfunction loss of appetite night sweats nipple discharge tired all the time palpitations persistent cough pins & needles recurrent mouth ulcers tingling sensation unexplained bruises unexplained joint pain unexplained skin rash unexplained weight loss vaginal discharge any other (please list below):-					
sympto ms						
Office Use Only:						
Tests:						
	I Information ote any other additional information that may be relevant to your health below:-					
Office Use Only:						
Tests:						

YOUR DIET A Please consider all questions carefully at		-		
ON AVERAGE: -	•		-	
How often do you eat white bread, pasta, rice, pastry, etc.?	rarely	2-3 / week	3-4 / week	daily
How often do you eat biscuits or cakes?	rarely	2-3 / week	3-4 / week	daily
How often do you eat chocolate or sweets?	rarely	2-3 / week	3-4 / week	daily
		· · · ·		
How often do you eat crisps or chips?	rarely	2-3 / week	3-4 / week	daily
	1			
How often do you eat salads ?	rarely	2-3 / week	3-4 / week	daily
	. e. e. y			
How many portions of vegetables do you eat each day?	none	2-3 / day	3-4 / day	Other
Thow many pontions of vegetables do you ear each day?	TIONE	2-37 day	5-4 / uay	Guior
	1			Other
How many portions of fresh fruit do you eat each day?	none	2-3 / day	3-4 / day	Other
How often do you eat dairy products (e.g. milk, butter, etc.)?	rarely	2-3 / week	3-4 / week	daily
How often do you eat red meat (e.g. beef, pork, lamb)?	rarely	2-3 / week	3-4 / week	daily
How often do you eat processed meat (e.g. ham, sausages, bacon)	rarely	2-3 / week	3-4 / week	daily
	•			
How often do you eat poultry (e.g. chicken, duck, goose)?	rarely	2-3 / week	3-4 / week	daily
	-			
How many portions of oily fish (salmon, mackerel, sardines, fresh tuna, trout,				Other
anchovies) do you eat each week?	none	1-2 / week	3-4 / week	
How often do you eat nuts and seeds ?	rarely	2-3 / week	3-4 / week	most days
How many cups of caffeinated coffee do you drink each day?	none	1-2 / day	3-4 / day	Other
		· · ·		· ·
How many cups of <u>decaffeinated</u> coffee do you drink each day?	none	1-2 / day	3-4 / day	Other
How many cups of black / white / green tea do you drink each day?	none	1-2 / day	3-4 / day	Other
			, ,	
Do you add milk and sugar to tea or coffee?	both	milk only	sugar only	none
	botti	Think Only	Sugar Only	none
How mony alcoholia drinka da yay drink acah day?	2000	10/404	21/400	Other
How many alcoholic drinks do you drink each day?	none	1-2 / day	3-4 / day	Oulei
What is your usual alcoholic drink?	wine	beer	spirits	Other
How many cups of herb or fruit tea do you drink each day?	none	1-2 / day	3-4 / day	Other

How many carbonated drinks you have each day (e.g. cola)?						none	1-2 / day	3-4 / da	у	Other	
How many fruit juices you drink each day (e.g. orange juice)?					none	1-2 / day	3-4 / da	v	Other		
						nono	1 2 / ddy	0 17 44	,		
How many glasses of	fwa	ter do you drink ea	ach	day?		none	1-2 / day	3-4 / da	у	Other	
How often do you eat	rea	dv-made meals?				rarely	2-3 / week	3-4 / we	ek	dai	ilv
,		•									,
How often do you eat	de	ep fried foods?				rarely	2-3 / week	3-4 / wee	k	dai	lly
How often do you eat	ba	becued or charg	rille	d foods?		rarely	2-3 / week	3-4 / wee	k	dai	ily
Llaw offen de versed	-	14 to food at the tol	-1-0								
How often do you ad	l sa	It to food at the tai	ole?			never	occasi	onally		alwa	ays
What are your typic	al c)	-			-				
Deep-frying		Stir-frying		Pan-frying		Grilling	Other - e.g. a t	<u>ake-away</u>			
Boiling Baking		Steaming Poaching		Braising Microwaving		Roasting Ready-made	-				
Bailing		1 odoning		moronanig		noudy made	_				
Which oils do you u	se						Which oils do	you use on			
Olive oil		Peanut oil		Corn oil		<u>Other:</u>	Virgin olive oil		Hemp / canola oil		oil
Sunflower oil		Rice bran oil		Grape seed oil			Walnut oil		Sunflower oil Other:		
Avocado oil		Sesame oil		Coconut oil			Flax / linseed oil				
Please note below any	/ die	tary restrictions that	at vo	u may follow for cult	ural d	or health reasons (e.g. vege	tarian, vegan, avoi	d pork. etc.):			
		,						<u> </u>			
Do you find that a particular food disagrees with you? If YES, please note below which, and the symptoms you experience: -											
bo you nhà thất a	part		gice		о, рі		, and the sympt	Jillis you ex	perie	1100	
Would you find any	/ sp	ecific foods diff	ICUI	t to give up? If YE	S, pl	ease state which & WH	Y, below: -				
lf have a histor		f dia dia da			/-	n ana ana in hadina an		•)			
ir you nave a histo	r y 0	r eating disorder	r S 0	r disordered eating	y (e.	g. anorexia, bulimia, co	onnort eating, et	c.), prietly	expla	III DEIOW:	-

DIGESTION Please consider all questions carefully & answer as accurately as you can				
1. HCI				
You have a <u>diagnosed</u> gastric ulcer	You often feel nauseous after eating a meal			
You have been diagnosed with gastritis	You often experience belching after eating a meal			
You often experience an acid taste in the mouth	You often experience indigestion after eating a meal			
You experience burning pain if you swallow hot drinks	You often experience bloating after eating a meal			
You have a diagnosed history of H. Pylori infection	You often experience flatulence after a meal			
You avoid salt and salty foods	You often suffer from constipation			
You do NOT chew food thoroughly	You have less than 1 bowel movement daily			
You often eat in a hurry	Your stools are often difficult to pass			
You have weak, peeling or split nails	You are prone to foul smelling stools			
You often find undigested food in the stools	You often experience diarrhoea			
You find it difficult to digest meat	You often get alternating constipation & diarrhoea			
Your stomach feels heavy for hours after eating	You often experience rectal itching			
You often feel nauseous after taking supplements	You frequently suffer from a yeast / candida infection			
Use Only:				
Tests:				
2. GB	Very stacks to not to be light ton / alow selected			
You have a <u>family history</u> of gall bladder disease	Your stools tend to be light tan / clay coloured			
You have had your gallbladder removed	You often get loose, foul smelling stools			
You have been <u>diagnosed</u> with gallstones	You experience intolerance to greasy foods			
You have been <u>diagnosed</u> with a gallbladder disease	You experience indigestion after eating fatty foods			
You often experience yellowing of the skin	Get pain radiating to the back & the right shoulder			
You tend to get yellow in the whites of the eyes Office Use Only:	You often get pain in the centre of your abdomen			
Tests:				

DIGESTION					
Please consider all questions carefully and answer as accurately as you can 3. IP					
You are undergoing radiation therapy	You suffer from multiple food allergies / sensitivities				
You are undergoing chemotherapy	You often experience bloating, gas or cramps				
You have a diagnosed autoimmune disease	You often get alternating constipation & diarrhoea				
You've been diagnosed with ulcerative colitis or Crohn's dis.	You often get mucus in the stools				
You have been <u>diagnosed</u> with food allergies or sensitivities	You suffer from eczema or dermatitis				
You have been <u>diagnosed</u> with coeliac disease	You are prone to skin eruptions (e.g. acne, hives)				
You have a history of taking antibiotics	You suffer from asthma				
You have taken antibiotics in the last 5 months	You frequently get sinusitis				
You regularly take NSAIDs (e.g. ibuprofen or aspirin)	You often experience unexplained muscle pain				
You have a stressful lifestyle	You often experience unexplained joint pain				
You drink more than 3 alcoholic drinks daily	You find it difficult to gain weight				
You are prone to chemical sensitivities (e.g. perfumes)	You regularly feel unwell (flu-like symptoms)				
You suffer from gluten intolerance	You experience chronic or frequent tiredness				
Tests:					
4. DYSB You have been <u>diagnosed</u> with a parasitic infection	You often experience lack of concentration				
You have had a parasitic infection in the past	Eating fruit makes you feel bloated				
You have travelled to a 3 rd world country	You often suffer from constipation				
You have lived in a 3 rd world country	You often experience abdominal bloating & gas				
You have a history of taking antibiotics	You often get alternating constipation & diarrhoea				
You have a stressful lifestyle	You often get loose, foul-smelling stools				
You frequently suffer from yeast infections	You often find mucus in your stools				
You are prone to fungal skin or nail infections	You often get diarrhoea				
You often crave bread or starchy and sugary foods	You often experience rectal itching				
Office Use Only:					
Tests:					

Please consider all questions carefully and answer as accurately as you can 5. LIVER						
You have a <u>family history</u> of liver disease	You have taken medications for weeks, months or years					
You have a <u>history</u> of gallstones	You experience chronic or frequent tiredness					
You have a history of alcohol abuse	You are prone to headaches					
You have a history of drug addiction	You often feel nauseous					
You've been diagnosed with a liver disease	You often suffer from bad breath					
You have been diagnosed with elevated liver enzymes	You tend to suffer from body odour					
You have been diagnosed with hepatitis	You often suffer from vomiting					
You are considerably overweight	You suffer from a swollen abdomen (tummy)					
You have had a liver transplant	You experience easy bruising					
You normally drink more than 3 alcoholic drinks daily	You are prone to skin eruptions (e.g. hives)					
You suffer from alcohol addiction	You suffer from chronic itching					
You regularly use recreational drugs	You get yellow in the whites of the eyes					
Please note below any other issues related to your liver, not listed in the						
Use Only: Tests:						
6. ELIMINATION						
You've been <u>diagnosed</u> with a liver disease	You suffer from a kidney disease					
You have a family history of liver disease	You suffer from a lung disease					
You have a history of gallbladder disease	You often suffer from constipation					
You exercise less than 3 x per week?	You have less than 1 bowel movement per day					
You drink less than 2 liters of fluids per day	You are prone to skin eruptions					
You suffer from fluid retention	You do NOT perspire / sweat easily					
Please note below any other information that you feel may be relevant:-						
Office Use Only:						
Tests:						

GT & CV HEALTH Please consider all questions carefully and answer as accurately as you can							
7. BSI							
You cannot go for more than 3 hours without a meal / snack You often eat desserts or sugary foods							
If a meal is missed you get irritable or moody	You often crave caffeinated drinks (e.g. cola, coffee, tea)						
If a meal is missed you find it hard to concentrate	You often crave cigarettes						
If a meal is missed you feel weak or dizzy	You do NOT have protein with each meal (e.g. meat, fish, nuts)						
If a meal is missed you feel anxious	You experience excessive appetite						
If a meal is missed you experience fast pulse or palpitations	You often feel drowsy in the afternoon						
If a meal is missed you experience trembling or shakiness	Eating relieves fatigue						
Office Use Only:							
Tests:							
8. IR, MetS & T2D							
You have a <u>family history</u> of type 2 diabetes	You find it difficult to lose weight						
You have been <u>diagnosed</u> with pre-diabetes	You are a <u>diagnosed</u> diabetic						
You have been <u>diagnosed</u> with PCOS	Your breath smells sweet						
You have been <u>diagnosed</u> with high blood pressure	You have recently experienced unexplained weight loss						
You have been <u>diagnosed</u> with abnormal cholesterol levels	You often experience chronic & frequent tiredness						
You tend to lead a sedentary lifestyle	You often experience excessive thirst						
You are considerably overweight	You often experience excessive urination						
You suffer from central obesity (fat around the middle)	You tend to experience slow healing of wounds or cuts						
Use Only:							
Tests:							
9. CVD Profile You have a family history of heart disease	Vau ara a regular amakar						
	You are a regular smoker						
You have a <u>family history</u> of stroke	You drink more than 3 alcoholic drinks daily						
You have a <u>family history</u> of type 2 diabetes	You have a stressful lifestyle						
You are a <u>diagnosed</u> diabetic	You eat less than 5 portions of fruit & veg a day						
You have been <u>diagnosed</u> with cardiovascular disease	You eat oily fish less than twice per week						
You have had a stroke/s	You eat deep-fried foods more than 3 x per week						
You have been <u>diagnosed</u> with an underactive thyroid	You eat red meat more than 3 x per week						
You have been <u>diagnosed</u> with high blood pressure	You often get palpitations (rapid heartbeat)						
You have been <u>diagnosed</u> with abnormal cholesterol levels	You often experience weakness and dizziness						
You are considerably overweight	You get easily out of breath (not asthma)						
You suffer from central obesity (fat around the middle)	You often experience pounding in your chest						
You tend to lead a sedentary lifestyle	You often experience chest pain on exertion						
You exercise less than 3 x per week You often feel dizzy & light-headed							
Office Use Only:							
Tests:							

	CHOLOGICAL HEALTH fully and answer as accurately as you can
10. EMOTIONAL & MENTAL HEALTH	
You have a <u>family history</u> of mental health issues	You tend to binge eat / comfort eat
You have a <u>family history</u> of depression	You suffer from mood swings
You have a <u>history</u> of alcohol addiction	You easily get irritable or 'short-fused'
You have a history of drug addiction	You experience uncontrollable anger
You have been <u>diagnosed</u> with mental health issues	You experience uncontrollable physical aggression
You have been <u>diagnosed</u> with depression	You often feel absent-minded or forgetful
You have been <u>diagnosed</u> with bipolar disorder	You often feel overwhelmed
You have been <u>diagnosed</u> with schizophrenia	Everything seems like a chore
You have been <u>diagnosed</u> with personality disorder	You find less enjoyment or happiness in life
You have been <u>diagnosed</u> with OCD	You require increased effort to do everyday tasks
You have been <u>diagnosed</u> with an eating disorder	You do not feel emotionally supported
You suffer from <u>undiagnosed</u> depression	You find it hard to make time for yourself
You have a stressful lifestyle	You suffer from panic attacks
You are <u>currently</u> dealing with stressful family issues	You feel isolated / lonely
You do not use any stress reduction methods (e.g. yoga)	You are worried about your health
Your sleep is NOT restful	You have financial worries
You drink more than 3 alcoholic drinks daily	You have a history of being psychologically abused
You suffer from alcohol addiction	You have a history of physical abuse
You regularly use recreational drugs	You are experiencing problems at work
Office Use Only: Tests: 11. NT IMBALANCES	
Office Use Only:	
Tests:	

	arefully and answer as accurately as you can
12. Cortisol Profile	
You have been diagnosed with Cushing's syndrome	You regularly take NSAIDs (ibuprofen or aspirin)
You have a stressful lifestyle	You often crave <u>caffeinated</u> drinks (e.g. cola, coffee, tea)
You tend to work long hours	You crave salt or salty foods
You often find it hard to relax	You find it difficult to handle stress
You often find it difficult to fall asleep	You easily get irritable or 'short-fused'
You often wake up at night and cannot get back to sleep	You often feel absent-minded or forgetful
You find it difficult to build muscle	You often feel overwhelmed
You suffer from central obesity (fat around the middle)	You find less enjoyment or happiness in life
You often experience unexplained anxiety	You often experience chronic or frequent tiredness
You suffer from undiagnosed depression	You still feel tired after a good night's sleep
You are prone to allergies & sensitivities	You are suffering from reduced productivity
You have been <u>diagnosed</u> with Addison's disease	Exercise causes fatigue
You have been <u>diagnosed</u> with low blood pressure	You feel light-headed when standing up quickly
You have been <u>diagnosed</u> with an underactive thyroid	You experience frequent inflammation
Only: Tests:	
13. TH Profile	
Your periods are irregular	You experience cold hands & feet
You suffer from heavy menstrual flow	You have a puffy-looking face
You have a history of miscarriages	Your eyebrows are thinned or partly missing
You have a <u>family history</u> of thyroid disease	You experience excessive hair loss
You have been diagnosed with an underactive thyroid	Your skin is dry and scaly
You have been diagnosed with coeliac disease	You bruise easily
You have a diagnosed autoimmune disease	You experience muscle aches and weakness
You have been diagnosed with abnormal cholesterol levels	You often get muscle cramps
You find it difficult to lose weight	You suffer from slow / sluggish digestion
You experience reduced libido / less interest in sex	You often suffer from constipation
You have problems with fertility	You have been <u>diagnosed</u> with an overactive thyroid
You experience chronic & frequent tiredness	You often feel hyperactive
You suffer from slow thinking & movements	You find it difficult to gain weight
You suffer from undiagnosed depression	You experience unexplained weight loss
You have a slow heart rate (pulse)	You suffer from mood swings
You tend to suffer from anaemia	You are sensitive to / dislike heat
Office Use Only:	
Tests:	

	& MALE HEALTH refully and answer as accurately as you can	
14. FEMALE Health only		
You are trying to get pregnant	You have an IUD fitted	
You have problems with fertility	You suffer from PMS	
You are undergoing IVF treatment	You often experience period pains (cramps)	
You have a history of miscarriages	Your periods are irregular	
You are pregnant or lactating (breastfeeding)	You suffer from a heavy menstrual flow	
You have a family history of breast cancer	You suffer from a prolonged menstrual flow	
You have a family history of uterine fibroids	You experience spotting or bleeding between periods	
You have a family history of endometriosis	You often get thrush	
You have a family history of PCOS	You suffer from frequent urinary tract infections	
You have a <u>family history</u> of osteoporosis	You experience reduced libido / less interest in sex	
You have been <u>diagnosed</u> with breast cancer	You have had a hysterectomy	
You have been diagnosed with fibrocystic breast disease	You are peri-menopausal (approaching menopause)	
You have been diagnosed with uterine fibroid/s	You are menopausal	
You have been diagnosed with endometriosis	You are taking HRT	
You have been diagnosed with PCOS	You suffer from 'menopausal' depression/ mood swings	
You have been diagnosed with osteopenia or osteoporosis	You suffer from 'menopausal' insomnia	
You have been diagnosed with HPV infection	You suffer from vaginal dryness	
You have been diagnosed with ovarian cysts	You suffer from hot flushes & night sweats	
You are receiving treatment for a STD	Your skin is dry & thinning	
You are taking a contraceptive pill / have an implant	You are post-menopausal	
Please note any other health issues not listed in the above profile, be		
Office Use Only:		
Use Only: Tests:		
Use Only: <u>Tests:</u> 15. MALE Health only		
Use Only: Tests: 15. MALE Health only You have been <u>diagnosed</u> with BPH (benign prostatic hyperplasia)	You experience reduced libido / less interest in sex	
Use Only: Tests: 15. MALE Health only You have been <u>diagnosed</u> with BPH (benign prostatic hyperplasia) You have been <u>diagnosed</u> with prostatitis	You are over 50	
Use Only: Tests: 15. MALE Health only You have been <u>diagnosed</u> with BPH (benign prostatic hyperplasia) You have been <u>diagnosed</u> with prostatitis You have been <u>diagnosed</u> with testicular disease	· ·	
Use Only: Tests: 15. MALE Health only You have been <u>diagnosed</u> with BPH (benign prostatic hyperplasia) You have been <u>diagnosed</u> with prostatitis	You are over 50	
Use Only: Tests: 15. MALE Health only You have been <u>diagnosed</u> with BPH (benign prostatic hyperplasia) You have been <u>diagnosed</u> with prostatitis You have been <u>diagnosed</u> with testicular disease	You are over 50 You suffer from erectile dysfunction	
Use Only: Tests: 15. MALE Health only You have been <u>diagnosed</u> with BPH (benign prostatic hyperplasia) You have been <u>diagnosed</u> with prostatitis You have been <u>diagnosed</u> with testicular disease You have been <u>diagnosed</u> with low testosterone levels	You are over 50 You suffer from erectile dysfunction You find it hard to pass urine	
Use Only: Tests: Tests: 15. MALE Health only You have been <u>diagnosed</u> with BPH (benign prostatic hyperplasia) You have been <u>diagnosed</u> with prostatitis You have been <u>diagnosed</u> with testicular disease You have been <u>diagnosed</u> with low testosterone levels You have been <u>diagnosed</u> with a low sperm count	You are over 50 You suffer from erectile dysfunction You find it hard to pass urine You experience pain when passing urine You experience burning when passing urine	
Use Only: Tests: 15. MALE Health only You have been diagnosed with BPH (benign prostatic hyperplasia) You have been diagnosed with prostatitis You have been diagnosed with testicular disease You have been diagnosed with low testosterone levels You have been diagnosed with a low sperm count You have been diagnosed with prostate cancer You have been diagnosed with male breast cancer	You are over 50 You suffer from erectile dysfunction You find it hard to pass urine You experience pain when passing urine You experience burning when passing urine You experience frequent or excessive urination	
Use Only: Tests: Tests: Tol have been <u>diagnosed</u> with BPH (benign prostatic hyperplasia) You have been <u>diagnosed</u> with prostatitis You have been <u>diagnosed</u> with testicular disease You have been <u>diagnosed</u> with testosterone levels You have been <u>diagnosed</u> with low testosterone levels You have been <u>diagnosed</u> with a low sperm count You have been <u>diagnosed</u> with a low sperm count You have been <u>diagnosed</u> with male breast cancer You have been <u>diagnosed</u> with a sexually transmitted disease	You are over 50 You suffer from erectile dysfunction You find it hard to pass urine You experience pain when passing urine You experience burning when passing urine You experience frequent or excessive urination You frequently wake up at night to urinate	
Use Only: Tests: 15. MALE Health only You have been diagnosed with BPH (benign prostatic hyperplasia) You have been diagnosed with prostatitis You have been diagnosed with testicular disease You have been diagnosed with low testosterone levels You have been diagnosed with a low sperm count You have been diagnosed with prostate cancer You have been diagnosed with male breast cancer You have been diagnosed with a sexually transmitted disease You have been diagnosed with osteopenia or osteoporosis	You are over 50 You suffer from erectile dysfunction You find it hard to pass urine You experience pain when passing urine You experience burning when passing urine You experience frequent or excessive urination You frequently wake up at night to urinate You experience difficulty in starting to urinate	
Use Only: Tests: Tests: Tol have been <u>diagnosed</u> with BPH (benign prostatic hyperplasia) You have been <u>diagnosed</u> with prostatitis You have been <u>diagnosed</u> with testicular disease You have been <u>diagnosed</u> with testosterone levels You have been <u>diagnosed</u> with low testosterone levels You have been <u>diagnosed</u> with a low sperm count You have been <u>diagnosed</u> with a low sperm count You have been <u>diagnosed</u> with male breast cancer You have been <u>diagnosed</u> with a sexually transmitted disease	You are over 50 You suffer from erectile dysfunction You find it hard to pass urine You experience pain when passing urine You experience burning when passing urine You experience frequent or excessive urination You frequently wake up at night to urinate	
Use Only: Tests: 15. MALE Health only You have been diagnosed with BPH (benign prostatic hyperplasia) You have been diagnosed with prostatitis You have been diagnosed with testicular disease You have been diagnosed with low testosterone levels You have been diagnosed with a low sperm count You have been diagnosed with prostate cancer You have been diagnosed with male breast cancer You have been diagnosed with a sexually transmitted disease You have been diagnosed with osteopenia or osteoporosis	You are over 50You suffer from erectile dysfunctionYou find it hard to pass urineYou experience pain when passing urineYou experience burning when passing urineYou experience frequent or excessive urinationYou frequently wake up at night to urinateYou experience difficulty in starting to urinateYou tend to experience a weak urine flow	
Use Only: Tests: 15. MALE Health only You have been diagnosed with BPH (benign prostatic hyperplasia) You have been diagnosed with prostatitis You have been diagnosed with testicular disease You have been diagnosed with low testosterone levels You have been diagnosed with a low sperm count You have been diagnosed with prostate cancer You have been diagnosed with male breast cancer You have been diagnosed with a sexually transmitted disease You have been diagnosed with osteopenia or osteoporosis You have been diagnosed with fertility	You are over 50You suffer from erectile dysfunctionYou find it hard to pass urineYou experience pain when passing urineYou experience burning when passing urineYou experience frequent or excessive urinationYou frequently wake up at night to urinateYou experience difficulty in starting to urinateYou tend to experience a weak urine flow	
Use Only: Tests: 15. MALE Health only You have been diagnosed with BPH (benign prostatic hyperplasia) You have been diagnosed with prostatitis You have been diagnosed with testicular disease You have been diagnosed with low testosterone levels You have been diagnosed with a low sperm count You have been diagnosed with a low sperm count You have been diagnosed with male breast cancer You have been diagnosed with male breast cancer You have been diagnosed with osteopenia or osteoporosis You have been diagnosed with osteopenia or osteoporosis You are experiencing problems with fertility Please note any other health issues not listed in the above profile, be Office	You are over 50You suffer from erectile dysfunctionYou find it hard to pass urineYou experience pain when passing urineYou experience burning when passing urineYou experience frequent or excessive urinationYou frequently wake up at night to urinateYou experience difficulty in starting to urinateYou tend to experience a weak urine flow	
Use Only: Tests: 15. MALE Health only You have been diagnosed with BPH (benign prostatic hyperplasia) You have been diagnosed with prostatitis You have been diagnosed with prostatitis You have been diagnosed with testicular disease You have been diagnosed with low testosterone levels You have been diagnosed with a low sperm count You have been diagnosed with prostate cancer You have been diagnosed with male breast cancer You have been diagnosed with a sexually transmitted disease You have been diagnosed with osteopenia or osteoporosis You have been diagnosed with fertility Please note any other health issues not listed in the above profile, be	You are over 50You suffer from erectile dysfunctionYou find it hard to pass urineYou experience pain when passing urineYou experience burning when passing urineYou experience frequent or excessive urinationYou frequently wake up at night to urinateYou experience difficulty in starting to urinateYou tend to experience a weak urine flow	
Use Only: Tests: Image: Control of the second s	You are over 50You suffer from erectile dysfunctionYou find it hard to pass urineYou experience pain when passing urineYou experience burning when passing urineYou experience frequent or excessive urinationYou frequently wake up at night to urinateYou experience difficulty in starting to urinateYou tend to experience a weak urine flow	
Use Only: Tests: Image: Control of the second s	You are over 50You suffer from erectile dysfunctionYou find it hard to pass urineYou experience pain when passing urineYou experience burning when passing urineYou experience frequent or excessive urinationYou frequently wake up at night to urinateYou experience difficulty in starting to urinateYou tend to experience a weak urine flow	

	POLLUTI	ON PROFILES				
	II questions caref	ully and answer as accurat	ely as you can			
16. ENVIRONMENT You rarely buy organic foods		You have recently	decorated / reported	vourbomo		
You believe organic food is not any healthier		-	You have recently decorated / renovated your home			
			You usually cycle on <u>busy</u> roads			
You do NOT wash fruit and vegetables before eating			When cycling, you do NOT normally wear a mask			
You normally drink tap / unfiltered water		You live or work near a busy road				
You have more than 3 amalgam (silver) fillings		You live or work in a city				
You had amalgam fillings removed recently		You live or work near an industrial plant				
You do NOT use natural personal care products		four job involves v	Your job involves working with chemicals			
Office Use Only: 17. SMOKING (if you are not a smoker or a pa	ssive smoker, n	lease proceed to the ne	xt section)			
You are a regular smoker		You do NOT wish	<u> </u>			
You are a passive smoker		You've tried to sto	op smoking in the past			
You are a social smoker (e.g. weekends only)			sed to stop smoking by			
			,	,		
If advised to stop smoking, briefly explain why, below	·					
What do you normally smoke?	cigarettes	E-cigarettes	cigars	pipe		
How many cigarettes do you smoke a day?	1 - 10	10 - 20	20 - 30	30 - 60		
At what age did you start smoking?	teens	20's	30's	later		
If you have any smoking-related health issues please of Office Use	explain which, be	low:-				
Only:						
18. Recreational Drugs (if you do not use any i	recreational dru					
You regularly use recreational drugs			y of drug addiction			
How often do you use recreational drugs?	rarely	monthly	weekly	daily		
Which recreational drugs do you use?	cannabis	heroin	cocaine	other		
At what age did you start to take drugs?	teens	20's	30's	later		
If you have any drug-related health issues please expl	ain which, below:	-				
Office Use Only:						
Tests:						

IMMUNITY & ALLERGIES Please consider all questions carefully and answer as accurately as you can	
19. IMMUNITY Profile	
You have a <u>family history</u> of cancer	You are receiving treatment for HIV (STD)
You have had growths or lumps biopsied	You have a stressful lifestyle
You are undergoing radiation therapy	You suffer from lack of sleep
You are undergoing chemotherapy	You do not exercise regularly / have a sedentary lifestyle
You have diagnosed CFS / ME	You catch more than 3 colds a year
You have a diagnosed autoimmune disease	You get more than 3 infections a year
You have a diagnosed bacterial infection	Your lymph glands are frequently swollen or sore
You have a diagnosed viral infection	You find it hard to shift colds or infections
You have a <u>diagnosed</u> liver disease	You are off sick more than 3 times per year
You have a history of frequent bacterial infections	You take longer to recover from an illness or injury
You have a history of frequent viral infections	You are prone to cold sores
You are prone to dental infections	You are prone to mouth ulcers
You have been hospitalised in the last 6 months	You are prone to yeast infections
You have a history of taking antibiotics	You suffer from frequent urinary tract infections
You regularly take NSAIDs (ibuprofen or aspirin)?	You are prone to various allergies / sensitivities
Please note below any other immune issues not listed in the above profile	6
Office	
Use	
Only:	
Teste	
Tests:	
20. ALLERGY & INTOL Profile	Very unight top de te fluctuate
You have undergone allergy testing	Your weight tends to fluctuate
You have been <u>diagnosed</u> with food allergies or sensitivities	You often experience unexplained joint pain
You have been <u>diagnosed</u> with lactose intolerance	You often experience unexplained muscle pains
You have been <u>diagnosed</u> with fructose intolerance	You often get itchy or watery eyes (not hayfever)
You have been <u>diagnosed</u> with histamine intolerance	You have a constant runny nose
You have been diagnosed with coeliac disease	You frequently get sinusitis
You suffer from gluten intolerance	You suffer from excessive mucus production
You crave / binge on particular foods or drinks	You have a constant sore throat
You experience gas / bloating after eating certain foods	
	You are prone to skin eruptions (e.g. acne)
You get diarrhoea after eating certain foods	You are prone to skin eruptions (e.g. acne) You are prone to itchy skin (pruritus)
You get diarrhoea after eating certain foods You get abdominal cramps after eating certain foods	You are prone to skin eruptions (e.g. acne) You are prone to itchy skin (pruritus) You are prone to chemical sensitivities (e.g. perfumes)
You get diarrhoea after eating certain foods You get abdominal cramps after eating certain foods You suffer from fluid retention after eating certain foods	You are prone to skin eruptions (e.g. acne) You are prone to itchy skin (pruritus) You are prone to chemical sensitivities (e.g. perfumes) You suffer from hay fever
You get diarrhoea after eating certain foodsYou get abdominal cramps after eating certain foodsYou suffer from fluid retention after eating certain foodsYou feel fatigued / drowsy after eating certain foods	You are prone to skin eruptions (e.g. acne)You are prone to itchy skin (pruritus)You are prone to chemical sensitivities (e.g. perfumes)You suffer from hay feverYou suffer from asthma
You get diarrhoea after eating certain foodsYou get abdominal cramps after eating certain foodsYou suffer from fluid retention after eating certain foodsYou feel fatigued / drowsy after eating certain foodsYou experience facial puffiness after eating certain foods	You are prone to skin eruptions (e.g. acne)You are prone to itchy skin (pruritus)You are prone to chemical sensitivities (e.g. perfumes)You suffer from hay feverYou suffer from asthmaYou suffer from eczema or dermatitis
You get diarrhoea after eating certain foodsYou get abdominal cramps after eating certain foodsYou suffer from fluid retention after eating certain foodsYou feel fatigued / drowsy after eating certain foods	You are prone to skin eruptions (e.g. acne)You are prone to itchy skin (pruritus)You are prone to chemical sensitivities (e.g. perfumes)You suffer from hay feverYou suffer from asthma
You get diarrhoea after eating certain foodsYou get abdominal cramps after eating certain foodsYou suffer from fluid retention after eating certain foodsYou feel fatigued / drowsy after eating certain foodsYou experience facial puffiness after eating certain foodsYou experience facial flushing after eating certain foods	You are prone to skin eruptions (e.g. acne)You are prone to itchy skin (pruritus)You are prone to chemical sensitivities (e.g. perfumes)You suffer from hay feverYou suffer from asthmaYou suffer from eczema or dermatitisYou often suffer from urticaria (hives)
You get diarrhoea after eating certain foodsYou get abdominal cramps after eating certain foodsYou suffer from fluid retention after eating certain foodsYou feel fatigued / drowsy after eating certain foodsYou experience facial puffiness after eating certain foods	You are prone to skin eruptions (e.g. acne)You are prone to itchy skin (pruritus)You are prone to chemical sensitivities (e.g. perfumes)You suffer from hay feverYou suffer from asthmaYou suffer from eczema or dermatitisYou often suffer from urticaria (hives)
You get diarrhoea after eating certain foodsYou get abdominal cramps after eating certain foodsYou suffer from fluid retention after eating certain foodsYou feel fatigued / drowsy after eating certain foodsYou experience facial puffiness after eating certain foodsYou experience facial flushing after eating certain foods	You are prone to skin eruptions (e.g. acne)You are prone to itchy skin (pruritus)You are prone to chemical sensitivities (e.g. perfumes)You suffer from hay feverYou suffer from asthmaYou suffer from eczema or dermatitisYou often suffer from urticaria (hives)
You get diarrhoea after eating certain foodsYou get abdominal cramps after eating certain foodsYou suffer from fluid retention after eating certain foodsYou feel fatigued / drowsy after eating certain foodsYou experience facial puffiness after eating certain foodsYou experience facial flushing after eating certain foods	You are prone to skin eruptions (e.g. acne)You are prone to itchy skin (pruritus)You are prone to chemical sensitivities (e.g. perfumes)You suffer from hay feverYou suffer from asthmaYou suffer from eczema or dermatitisYou often suffer from urticaria (hives)
You get diarrhoea after eating certain foods You get abdominal cramps after eating certain foods You suffer from fluid retention after eating certain foods You feel fatigued / drowsy after eating certain foods You experience facial puffiness after eating certain foods You experience facial flushing after eating certain foods Please note below any known allergies not listed above, or any foods that Office	You are prone to skin eruptions (e.g. acne)You are prone to itchy skin (pruritus)You are prone to chemical sensitivities (e.g. perfumes)You suffer from hay feverYou suffer from asthmaYou suffer from eczema or dermatitisYou often suffer from urticaria (hives)
You get diarrhoea after eating certain foods You get abdominal cramps after eating certain foods You suffer from fluid retention after eating certain foods You feel fatigued / drowsy after eating certain foods You experience facial puffiness after eating certain foods You experience facial flushing after eating certain foods Please note below any known allergies not listed above, or any foods that Office Use	You are prone to skin eruptions (e.g. acne)You are prone to itchy skin (pruritus)You are prone to chemical sensitivities (e.g. perfumes)You suffer from hay feverYou suffer from asthmaYou suffer from eczema or dermatitisYou often suffer from urticaria (hives)
You get diarrhoea after eating certain foods You get abdominal cramps after eating certain foods You suffer from fluid retention after eating certain foods You feel fatigued / drowsy after eating certain foods You experience facial puffiness after eating certain foods You experience facial flushing after eating certain foods Please note below any known allergies not listed above, or any foods that Office	You are prone to skin eruptions (e.g. acne)You are prone to itchy skin (pruritus)You are prone to chemical sensitivities (e.g. perfumes)You suffer from hay feverYou suffer from asthmaYou suffer from eczema or dermatitisYou often suffer from urticaria (hives)
You get diarrhoea after eating certain foods You get abdominal cramps after eating certain foods You suffer from fluid retention after eating certain foods You feel fatigued / drowsy after eating certain foods You experience facial puffiness after eating certain foods You experience facial flushing after eating certain foods Please note below any known allergies not listed above, or any foods that Office Use Only:	You are prone to skin eruptions (e.g. acne)You are prone to itchy skin (pruritus)You are prone to chemical sensitivities (e.g. perfumes)You suffer from hay feverYou suffer from asthmaYou suffer from eczema or dermatitisYou often suffer from urticaria (hives)
You get diarrhoea after eating certain foods You get abdominal cramps after eating certain foods You suffer from fluid retention after eating certain foods You feel fatigued / drowsy after eating certain foods You experience facial puffiness after eating certain foods You experience facial flushing after eating certain foods Please note below any known allergies not listed above, or any foods that Office Use	You are prone to skin eruptions (e.g. acne)You are prone to itchy skin (pruritus)You are prone to chemical sensitivities (e.g. perfumes)You suffer from hay feverYou suffer from asthmaYou suffer from eczema or dermatitisYou often suffer from urticaria (hives)
You get diarrhoea after eating certain foods You get abdominal cramps after eating certain foods You suffer from fluid retention after eating certain foods You feel fatigued / drowsy after eating certain foods You experience facial puffiness after eating certain foods You experience facial flushing after eating certain foods Please note below any known allergies not listed above, or any foods that Office Use Only:	You are prone to skin eruptions (e.g. acne)You are prone to itchy skin (pruritus)You are prone to chemical sensitivities (e.g. perfumes)You suffer from hay feverYou suffer from asthmaYou suffer from eczema or dermatitisYou often suffer from urticaria (hives)

Diet & Lifestyle You drink more than 3 alcohol drinks daily You suffer from alcohol addiction You are a regular smoker			
You drink more than 3 alcohol drinks daily You suffer from alcohol addiction	Allergy Profile		
	You have been <u>diagnosed</u> with food allergies or sensitivities		
/ou are a regular smoker	You are prone to allergies & sensitivities		
•	You are prone to chemical sensitivities (e.g. perfumes)		
You regularly use recreational drugs	You suffer from eczema or dermatitis		
You eat less than 5 portions of fruit & veg a day	You are prone to skin eruptions (e.g. hives)?		
You eat oily fish less than twice per week	You often suffer from urticaria (hives)		
You eat deep-fried foods more than 3 x per week	You suffer from hay fever		
You eat red meat more than 3 x per week	You suffer from asthma		
i	You frequently get sinusitis		
Digestive Profiles	You often experience unexplained muscle pain		
You've been diagnosed with ulcerative colitis or Crohn's dx	You often experience unexplained joint pain		
You suffer from gluten intolerance			
You have a <u>diagnosed</u> history of H. Pylori infection	Female Health		
ou navo a <u>alagnooda</u> motory of the ryton milection	You have been diagnosed with breast cancer		
MetS & CVD Profile	You have been <u>diagnosed</u> with PCOS		
You are a diagnosed diabetic	You have been <u>diagnosed</u> with FCOS You have been <u>diagnosed</u> with fibrocystic breast disease		
You have been diagnosed with cardiovascular disease	You have been diagnosed with there is a state of the stat		
	You have been diagnosed with uterine fibroid/s		
You have been <u>diagnosed</u> with high blood pressure			
You are considerably overweight	You have been <u>diagnosed</u> with ovarian cysts		
You suffer from central obesity (fat around the middle)	You often experience period pains (cramps)		
Adrenal Profile	Male Health		
You regularly take NSAIDs (e.g. iboprufen or aspirin)	You have been <u>diagnosed</u> with prostate cancer		
You have a stressful lifestyle	You have been <u>diagnosed</u> with male breast cancer		
You find it difficult to handle stress	You have been <u>diagnosed</u> with prostatitis		
You experience frequent inflammation	You have been diagnosed with BPH		
	You find it hard to pass urine		
mmunity	You experience pain when passing urine		
You are undergoing radiation therapy	You experience burning when passing urine		
You are undergoing chemotherapy	You experience frequent or excessive urination		
You are receiving treatment for a STD or HIV	You experience difficulty in starting to urinate		
You have a diagnosed autoimmune disease	You have a weak urine flow		
You have a diagnosed bacterial infection			
You have a diagnosed viral infection	Miscl		
You catch more than 3 colds a year	You have been <u>diagnosed</u> with osteopenia or osteoporosis		
You catch more than 3 infections a year	You have a diagnosed liver disease		
You are prone to <u>dental</u> infections	You are a regular smoker		
You suffer from frequent urinary tract infections			

ADDITIONAL INFORMATION

Please note any other additional information that may be relevant to your health below:-

Please note your GP's details below (we will NOT contact your GP without your written permission):-

Declaration:

I hereby confirm that this information is correct to the best of my knowledge and that I am not withholding any important information.

Date: _____

Signed: